



84N Series Sheet Metal Press Room Gripper Product Overview

DESTACO Introduces the newest addition to its line of stamping press sheet metal gripping solutions.

The Accelerate® sheet metal press room gripper is half the weight and more compact, with faster actuation — when compared to our closest competition⁽¹⁾ — without sacrificing grip force which measures up to 1000 N at 5 bar.

The lighter, smaller and faster 84N series gripper accelerates stamping press operations by helping customers produce more stamped parts per hour with higher efficiency while reducing moment forces and overall system wear and tear.





Product Highlights/Options

- Standard, chisel and 90° jaw options
- 30°, 45°, 60° and 72° jaw opening available
- Flexible mounting options
- Part present sensing
- One-step tip adjustment tool

PERFORMANCE **PREFORMANCE** **Pref

GR_84N-F_0217_US





84N1 Series Sheet Metal Gripper with Adjustable Tips



84N2 Series Sheet Metal Gripper with Fixed Tips



84N Series Mounting and Sensor Options







84N Series Sheet Metal Gripper used with Accelerate Lightweight Tooling.



84N2 90 deg Jaw Single Tip Serrated Insert Rear Flange Mount Double Blank Detector Sensor

The Accelerate® Press Room Sheet Metal Gripper is designed to compliment the Accelerate® Collection, providing a complete lightweight and flexible tooling system.

The Accelerate® Collection handle parts of any size and shape thoughout the stamping process.



84N2 Standard Fixed Lower Jaw Double Tip Serrated Insert Parallel Swivel Mount Infrared PNP Sensor

The Accelerate® Press Room Sheet Metal Gripper is:

60% lighter* (0.27kg vs 0.56kg)

12% smaller* foot print

60% faster* actuation (33ms vs 50ms)

100% DESTACO innovation

*When compared with our closest Competition

Specification	Unit	
Grip Force at 5 bar	Ν	Up to 1000
Weight (FC00 version)	Kg	.27
Size L x W x H (closed)	mm	110 x 43 x 43
Size L x W x H (open)	mm	110 x 43 x 64
Actuation Time	ms	33
Life	cycles	5 million
Minimum Operating Pressure	bar	1
Opening Angles		30°, 45°, 60°, 75°
Piston Ø	mm	25
Air Consumption/Cycle	L	.015

Dimensions and technical information are subject to change without notice.

GR 84N-F 07 17 US

GERMANY

+49-6171-705-0 europe@destaco.com

FRANCE

Tel: +33-4-7354-5001 france@destaco.com

GREAT BRITIAN

+44-1902-797980 uk@destaco.com

+34-936361680 spain@destaco.com

NETHERLANDS

+31-297285332 benelux@destaco.com

+86-21-6081-2888 china@destaco.com

THAILAND

+66-2-326-0812 asia@destaco.com

+91-80-41123421-426 india@destaco.com

USA

+1-888-DESTACO +1-248-836-6700

